Approved For Re	elease 2003/09/30P. CIACROP78T04759A009800010128-9
	•
	11 November 1971 Copy 12
MEMORANDUM FOR:	
THROUGH :	
SUBJECT :	Search for Gorizont Troposcatter Facilities Dikson Area, USSR
REFERENCE :	Requirement NSA/SPO/R-074-72 NPIC Project 251283
	dditional Gorizont tropogoattam anti
at the Dikson ar scatter Facility the search was o most recent cove	cea (73-30-00N 080-20-00E), or at Gyda Tropo- (70-52-30N 078-30-30E). Photography used for btained in the rage of the areas concerned.  zont troposcatter facilities were identified
at the Dikson ar scatter Facility the search was o most recent cove  2. No Gori in the Dikson ar reported Gyda Tr complete and unc  3. This pr	led at Vilkilskiy Island (73-29-00N 075-50-00E ea (73-30-00N 080-20-00E), or at Gyda Tropo- (70-52-30N 078-30-30E). Photography used for btained in, the rage of the areas concerned.  zont troposcatter facilities were identified ea or on Vilkilskiy Island. Previously oposcatter Facility remained hanged, no further construction being evident.  oject is considered to be complete.
at the Dikson ar scatter Facility the search was o most recent cove  2. No Gori in the Dikson ar reported Gyda Tr complete and unc  3. This pr questions may be	led at Vilkilskiy Island (73-29-00N 075-50-00E ea (73-30-00N 080-20-00E), or at Gyda Tropo- (70-52-30N 078-30-30E). Photography used for btained in, the rage of the areas concerned.  zont troposcatter facilities were identified ea or on Vilkilskiy Island. Previously oposcatter Facility remained hanged, no further construction being evident.
at the Dikson ar scatter Facility the search was o most recent cove  2. No Gori in the Dikson ar reported Gyda Tr complete and unc  3. This pr questions may be	led at Vilkilskiy Island (73-29-00N 075-50-00E ea (73-30-00N 080-20-00E), or at Gyda Tropo- (70-52-30N 078-30-30E). Photography used for btained in, the rage of the areas concerned.  zont troposcatter facilities were identified ea or on Vilkilskiy Island. Previously oposcatter Facility remained hanged, no further construction being evident.  oject is considered to be complete. Any directed to the imagery analyst.

downgrading and declass Approved For Release 2003/09/1300P. CHARTER 78 T0475 9A00980 0010128-9

Next 1 Page(s) In Document Exempt